CARDIOVASCULAR RESEARCH

EDITOR
R J LINDEN

ASSISTANT EDITOR
D A S G MARY

A M BARRETT
D H BERGEL
M V BRAIMBRIDGE
D L BRUTSAERT
B FOLKOW
D M KRIKLER
T D V LAWRIE
P W MACFARLANE
A MASERI
C MILLS
J H MITCHELL
W G NAYLER
M I M NOBLE
W SCHAPER
P SLEIGHT
E M VAUGHAN WILLIAMS

EDITOR *British Heart Journal*
EDITOR *British Medical Journal*
TECHNICAL EDITOR ANN NORRIS

VOLUME 16, 1982

LONDON · BRITISH MEDICAL ASSOCIATION · TAVISTOCK SQUARE WC1H 9JR

CONTENTS

No 1 JANUARY 1982

Instructions to Authors 1

A postsynaptic location of alpha$_2$ adrenoceptors in vascular smooth muscle: *in vivo* studies in the conscious rabbit: Carlene A Hamilton and John L Reid . . . 11

Interpretations of aortic root angiography in dogs and in humans: Mano Thubrikar, Blase A Carabello, Jaafar Aouad, and Stanton P Nolan 16

Body potassium content and capacity of elderly individuals with and without cardiac failure: Michael Lye 22

Measurement of instantaneous blood-flow velocity in the human aorta using pulsed Doppler ultrasound: S E Gisvold and A O Brubakk 26

Beta-adrenergic receptors in chronic alcoholic rat hearts: Leigh D Segel and Dean T Mason 34

Effect of methyldopa, clonidine, and hydralazine on cardiac mass and haemodynamics in Wistar Kyoto and spontaneously hypertensive rats: Barbara L Pegram, Shozo Ishise, and Edward D Frohlich 40

Physiological influences on perfusion imaging in transient myocardial ischaemia: importance of early distribution of thallium-201: Randolph E Patterson, Doris A Halgash, Steven F Horowitz, Kenneth Miceli, Calvin Eng, and Stanley J Goldsmith 47

Activities 55

Book Reviews 56

No 2 FEBRUARY 1982

Cardiovascular and sympathetic responses reflexly elicited through the excitation with bradykinin of sympathetic and vagal cardiac sensory endings in the cat: Federico Lombardi, Carol P Patton, Paolo Della Bella, Massimo Pagani, and Alberto Malliani 57

Clearance of serum creatine kinase activity: C Jeffrey Carlson, Wolfgang Meister, Bianka Emilson, Lewis B Sheiner, and Elliot Rapaport 66

Effects of experimental phosphate deficiency on action potential characteristics and contractile performance of rat myocardium: Joseph M Capasso, Ronald S Aronson, John E Strobeck, and Edmund H Sonnenblick 71

Developmental increase of digitalis receptors in guinea pig heart: J C Khatter and R J Hoeschen 80

Effect of smooth muscle activity on the static and dynamic elastic properties of the rabbit carotid artery: Stephen E Greenwald, David L Newman, and Howard T Denyer 86

Paradoxical bradycardia following the administration of sodium nitroprusside in the rat is abolished by indomethacin: Peter Lukacsko 95

Coronary circulatory failure and thromboxane A_2 release during coronary occlusion and reperfusion in anaesthetised dogs: Masao Tanabe, Zen-Ichi Terashita, Shuji Fujiwara, Norio Shimamoto, Noriko Goto, Kohei Nishikawa, and Minoru Hirata . 99

Role of myocardial restoring forces in the determination of early diastolic peak velocity of fibre lengthening in the conscious dog: Dominique Caillet and Bertrand Crozatier 107

No 3 MARCH 1982

Depressed reflex vasomotor control of the burn wound: L Howard Aulick, Douglas W Wilmore, Arthur D Mason Jr, and Basil A Pruitt Jr 113

Quantitative analysis of plasma enzyme levels based upon simultaneous determination of different enzymes: George M Willems, Marja P Visser, Marijke T A Krill, and Wim Hermens 120

Protection of ischaemic myocardium with coenzyme Q10: Yoshiro Nakamura, Masando Takahashi, Junichi Hayashi, Hidezo Mori, Satoshi Ogawa, Yoshio Tanabe, and Kuniko Hara 132

Anoxia-induced changes in composition and permeability of sarcolemmal membranes in rat heart cell cultures: J C Altona and A van der Laarse 138

Regional dysfunction of the interventricular septum during acute coronary artery occlusion: Masaharu Nakamura, Shigetake Sasayama, Masaaki Takahashi, Akira Ohyagi, Akiko Yamamoto, Jong-Dae Lee, and Chuichi Kawai 144

Myocardial and non-myocardial release of myoglobin and creatine-kinase MB following cardiac operations with hypothermic potassium cardioplegia: J Christer H Sylvén, Vollmer Bomfin, Torbjörn Ivert, and Christian Olin 151

Thermography in assessing coronary artery saphenous graft patency and blood flow: F P Shabbo and G M Rees 158

Increased sensitivity of the arterial chemoreceptor drive in young men with mild hypertension: Andrzej Trzebski, Malgorzata Tafil, Marek Zoltowski, and Jacek Przybylski 163

No 4 APRIL 1982

Sensitivity of cat papillary muscles to verapamil and nifedipine: enhanced effect in acidosis: Martyn G Briscoe and Howard J Smith 173

Model study of flow in curved and planar arterial bifurcations: Jonathan R Batten and Robert M Nerem 178

Reversible blockade of cardiac efferents with procaine instilled into the pericardium of cats: L F Samodelov, Michael Pohl, and Joachim O Arndt 187

Comparison of acute cardiovascular effects and oxygen-supply following haemodilution with dextran, stroma-free haemoglobin solution and fluorocarbon suspension: George P Biro 194

Effect of acute oral beta adrenergic blockade on muscle blood flow in man: Raymond S Smith and D J Warren 205

Metabolic effects of substrates on the isolated guinea-pig heart in relation to arrhythmias during reperfusion: Steven C Dennis, David J Hearse, and D John Coltart 209

Pulsed Doppler: determination of blood velocity and volume flow in normal and diseased common carotid arteries in man: Dermot E Fitzgerald, Ann M O'Shaughnessy, and Vincent T Keaveny 220

Nucleoprotein changes in the hearts of cardiomyopathic turkeys: Constantinos J Limas, Stanley Einzig, and George R Noren 225

No 5 MAY 1982

Electrophysiological effects of labetolol on rabbit atrial, ventricular and Purkinje cells, in normoxia and hypoxia: E Miles Vaughan Williams, John S Millar, and Terence J Campbell 233

Ischaemia-induced negative U waves in electrocardiograms (an experimental study in canine hearts): Long Tai Fu, Norihisa Kato, and Nobumitu Takahashi . . 240

Regional dynamic behaviour of the canine myocardium following brief ischaemia: wall thickness, wall thickening and blood flow: Henrik Egeblad, Stig Haunsø, and Ole Amtorp 249

Intramyocardial pressure and distribution of coronary blood flow during systole and diastole in the horse: Robert L Hamlin, Murina J Levesque, and Mark D Kittleson 256

Contrasting effects of spontaneous and induced cardiomyopathy on the nucleoproteins of turkey hearts: Constantinos J Limas, Stanley Einzig, and George Noren . 263

Effects of timolol on blood flow distribution in the feline myocardium with acute regional ischaemia during controlled haemodynamic conditions: Ketil Grong, Lodve Stangeland, Knut S Andersen, and Jon Lekven 269

Intra-SA-nodal pacemaker shift: indirect evaluation in the open chest dog: Jean-Yves Le Heuzey, Louis Guize, Jean-Paul Moutet, Chantal Cabanis, Pierre Maurice, and Pierre Peronneau 276

Effect of hypertonic mannitol on microvascular function in hypoxic and reoxygenated rat myocardium: Jarmo A Lipasti, Kalle A Alanen, and Timo J Nevalainen . 283

Effect of volume-overload hypertrophy on the coronary circulation in awake dogs: Joseph A Gascho, Thomas M Mueller, Charles Eastham, and Melvin L Marcus . 288

No 6 JUNE 1982

Effect of hypoxia on adaptation of the pulmonary circulation to extra-uterine life in the pig: Sheila G Haworth and Alison A Hislop 293

Influence of thigh blood flow upon the arterial pressure gradient over the collateral arteries in patients with occlusion of the superficial femoral artery: K Agerskov 304

Electrophysiological effects of glucose-insulin-potassium on atrioventricular conduction in man: Jochen Senges, Ioannis Rizos, Johannes Brachmann, Ellen Czygan, Rolf Jauernig, and Wolfgang Kübler 308

Dopaminergic regulation of circadian rhythms of blood pressure, renin and aldosterone in essential hypertension: James R Sowers, Naftali Stern, Michael D Nyby, and Keith A Jasberg 317

Platelet studies in patients with hypertrophic cardiomyopathy: R Yarom, B S Lewis, G Lijovetzky, Y Havivi, and J A Chandler 324

Delivery of ^{14}C-lignocaine and blood flow to canine organs after coronary occlusion: a physical separation technique to measure drug concentration and microsphere blood flow in the same tissue sample: William S Weintraub, Doris A Halgash, and Randolph E Patterson 331

Coronary steal in awake dogs: a real phenomenon: Michael V Cohen . . . 339

Instruments and techniques

A critical improvement of the local thermodilution method for measuring renal blood flow in man: Fabio Magrini and Lü Guo-Quing 350

No 7 JULY 1982

THE GEORGE CECIL CLARKE MEMORIAL LECTURES — 1982

Reflex control of arterial blood pressure: John T Shepherd 357

Clinical syndromes of autonomic failure: Sir Roger Bannister 370

Adrenergic mechanisms in glucose counter-regulation in normal and diabetic man: Philip E Cryer 370

Abstracts 376

Fluorescent histochemical localisation of quinacrine-positive neurones in the guinea-pig and rabbit atrium: Rahima Crowe and Geoffrey Burnstock . . 384

Platelet kinetics in congenital heart disease: A Michael Peters, Adrian Rozkovec, R N Bell, Katherine A Hallidie-Smith, John F Goodwin, and J Peter Lavender . . 391

Influences of labetalol a combined α- and β- adrenergic blocking agent on the dysrhythmias induced by coronary occlusion and reperfusion: Steven M Pogwizd, Arjun D Sharma, and Peter B Corr 398

Preocclusive perfusion area as a determinant of infarct size in a canine model: Kikuo Sakai, Hitonobu Tomoike, Hisatsune Ootsubo, Yutaka Kikuchi, and Motoomi Nakamura 408

No 8 AUGUST 1982

The capillary membrane and calcium kinetics in perfused hearts: independence of force decay on heart rate: Jack T Saari 417

Extension of myocardial necrosis into normal epicardium following hypotension during experimental coronary occlusion: Laurence W V Deboer, Robert E Rude, Richard F Davis, Peter R Maroko, and Eugene Braunwald 423

Normothermic ischaemic cardiac arrest of isolated working rat heart: effects of resperine and propranolol on functional, metabolic and morphological recovery: Y Edoute, D Graney, D Sanan, J C N Kotze, and A Lochner 428

Left ventricular O_2 requirements of pressure and volume loading in the normal canine heart and inaccuracy of pressure-derived indices of O_2 demand: J Vinten-Johansen, R James Barnard, Gerald D Buckberg, Heinz Becker, Henry W Duncan, and John M Robertson 439

Problems associated with the micropolarographic measurement of the arterial wall pO_2: J Klinowski, S E Korsner, and C P Winlove 448

Relationship between conductivity and functional refractoriness of atrioventricular node in man: D G Wyse 457

Influence of systolic intracavity pressure on right ventricular perfusion in the awake dog: Frank L Gold and Robert J Bache 467

Detection of arterial dilatation in the distal aorta – lower limb arteries using continuous wave Doppler ultrasound: K N Humphries, T K Hames, and A D B Chant 474

No 9 SEPTEMBER 1982

REVIEW: Role of cyclic nucleotides in heart metabolism: Lionel H Opie . . 483

Detection of severity of coronary artery disease by the ST segment/heart rate relationship in patients on beta-blocker therapy: M Kardash, R Boyle, M S Elamin, J B Stoker, D A S G Mary, and R J Linden 508

Myocardial liposome uptake in the early stages of myocardial infarction: Arthur W G Cole, Rosalie O Kingaby, Max J Lab, and T Norman Palmer 516

Electrophysiology of the chemically sympathectomised dog: Diane Godin, Claude Guimond, Réginald A Nadeau, and A Robert Leblanc 524

Effects of physical training on β-adrenergic receptors in rat myocardial tissue: Louise Sylvestre-Gervais, André Nadeau, Minh Hau Nguyen, Gilles Tancrède, and Suzanne Rousseau-Migneron 530

Effects of progressive reduction in coronary blood flow on regional and global left ventricular contraction and relaxation during normal and increased afterload: a roentgen videometric study: Martin G St John Sutton and Erik L Ritman . . 535

Errata 546

No 10 OCTOBER 1982

The dependence on heart rate of the human ventricular action potential duration: L Arnold, J Page, D Attwell, M Cannell, and D A Eisner 547

Relationship between lactate arteriovenous gradient and tissue lactate content in subendocardial and subepicardial layers of the ischaemic *in situ* heart: Samar Al Makdessi, Jean L Andrieu, Quadiri Timour Chah, Aline J Tuduri, and Georges Faucon 552

Changes in the collagen of rat heart in copper-deficiency-induced cardiac hypertrophy: Ronald Dawson, George Milne, and Richard B Williams 559

Electrophysiological effects of glucose-insulin-potassium on sinus node function in patients with and without sinus node dysfunction: Jochen Senges, Johannes Brachmann, Ellen Czygan, Ioannis Rizos, Wolfgang Lengfelder, Wolfgang Kübler 566

Differences in adrenal cholesterol, ascorbic acid, circulating corticosterone and aldosterone during the onset of hypertension in SHR *vs* WKy rats: B C Wexler and J P McMurtry 573

Coronary blood flow measurements with left atrial injection of microspheres in conscious rats: Pierre Wicker and Robert C Tarazi 580

Mechanism of the tilt induced increase in collateral arterial resistance in patients with occlusion of the superficial femoral artery: K Agerskov, O Henriksen, and C Lønholt 587

Regional blood flow, microvascular blood content and tissue haematocrit in canine myocardium: Per Eliasen, Ole Amtorp, Erik Tøndevold, and Stig Haunsø . . 593

Cardiovascular and biochemical changes in dogs during etomidate-nitrous oxide anaesthesia: A A Van Lambalgen, W Bronsveld, G C van den Bos, L G Thijs, and G J J Teule 599

Increased vascular resistance in vasolidated skin an indicator of diabetic microangiopathy?: Irwin B Faris and Niels A Lassen 607

Cardiovascular responses to lateral semicircular canal stimulation in man: R Winter, C Wilson, and T Bennett 610

No 11 NOVEMBER 1982

Patterns of flow and conduction during early ventricular arrhythmias following coronary arterial occlusion in the dog: Douglas C Russell, Rudolph A Riemersma, Jan S Lawrie, and Michael F Oliver 613

Collagen biosynthesis in normal and abnormal human heart valves: Adriano M Henney, D John Parker, and Michael J Davies 624

Changes in Doppler ultrasound sonagrams at varying distances from stenoses: D H Evans, D S Macpherson, M J Asher, S Bentley, and P R F Bell 631

Separation of the oscillatory current from other currents in cardiac Purkinje fibres: Alessandro Mugelli 637

Aortic input impedance in normal man and arterial hypertension: its modification during changes in aortic pressure: Jean P Merillon, Guy J Fontenier, Jean F Lerallut, Michel Y Jaffrin, Gilbert A Motte, Claude P Genain, and René R Gourgon . . 646

Effect of sulphinpyrazone on the development of experimental endocardial vegetations: Clive E Johnson and Hewan A Dewar 657

Effect of age and coronary heart disease on the circulatory responses to graded lower body negative pressure: Thomas J Ebert, C Vincent Hughes, Felix E Tristani, Jill A Barney, and James J Smith 663

Studies on the mechanism of an antibiotic ionophore, R02-2985 (X537A) in the conscious chronically instrumented dog: involvement of the prostaglandin synthetic pathway: Edward G Ezrailson, Henry G Hanley, Craig J Hartley, Robert M Lewis, Mark L Entman, and Arnold Schwartz 670

No 12 DECEMBER 1982

REVIEW: Limitations and reliability of exercise electrocardiography tests in coronary heart disease: R J Linden and D A S G Mary 675

Effect of hypoxia on fluid filtration rate during forward and reverse perfusion of isolated rabbit lungs: R Sanchez De Léon, C H Orchard, M K Chakrabarti, and M K Sykes 711

Changes in the distensibility of the intrapulmonary arteries in the normal newborn and growing pig: S E Greenwald, C L Berry, and S G Haworth 716

Amplitude variability of the action potential in hypoxic ventricular muscle: Toshifumi Watanabe, Terence F McDonald, and Pentti M Rautaharju . . . 727

Effects of oral salt loading on beta-adrenergic receptor responsiveness in normal and hypertensive subjects: Massimo Volpe, Bruno Trimarco, Bruno Ricciardelli, Luigi Sacca, Biagio Ungaro, Franco Rengo, and Mario Condorelli 732

Activities 738

Volume index 739